Close Window





#### → See all Eaton 9SX Documentation

→ See all Eaton 9SX models



## 9SX11KiRT

Eaton 9SX 11000i RT6U

General	
Topology	On-line double conversion with PFC (Power Factor Correction) system
Configuration	Rack/Tower
Part Number	9SX11KiRT
Rating (VA/Watts)	11000/10000
Dimensions (H x W x D, mm)	440 x 260 x 700
Weight (kg)	86
Warranty	2 years warranty
Rail Kit Included	Yes

# **Electrical Input**

Connection

Hardwired - see manual for terminal block layout



Input Voltage Range	176-276V without derating (up to 100–276V with derating)
Nominal Voltage	200/208/220/230/240/250V
Frequency	50/60 Hz autoselection
Frequency Range	40-70 Hz
Short Circuit Current	150 A
THDI	<5%

Electrical Output	
Voltages	200/208/220/230/240/250V +/- 1%
Voltage THD	< 2%
Outlets	Hardwired - see manual for terminal block layout
Overload Capacity	102–110% : 120s, 110–125%: 60s, 125–150%: 10s, >150%: 900ms


Efficiency (Normal Mode) Up to 95% in Online mode, 98% in Hi-Efficiency mode

3:1

EBM

Load Crest Factor

### Battery



Battery	Management
---------	------------

ABM® and Temperature compensated charging method (user selectable), automatic battery test, deep discharge protection, automatic recognition of external battery units.

Communications	
User Interface	Multilingual graphical LCD display
Communication Ports	1 USB port, 1 RS232 serial port (USB and RS232 ports cannot be used simultaneously), 4 dry contacts (DB9), 1 mini terminal block for remote On/Off and 1 for remote power Off
Communication Slot	1 slot for Network-MS card, ModBus-MS or Relay-MS cards.

Environmental & Standards	
Audible Noise	<50dB
Operating Temperature	0 to 40°C continuous
Safety markings	IEC/EN 62040-1, UL 1778, CSA 22.2
EMC Markings	IEC/EN 62040 -2 , FCC Class A, IEC/EN 62040-3 (Performance)
Approvals	CE, CB report (TUV), UL

### **Options**

Batteries	
Option	Part Number
Eaton 9SX EBM 240V	9SXEBM240
Eaton Supercharger 240VDC	SC240RT
Power Distribution and Bypass	
Option	Part Number
Eaton HotSwap MBP 11000i	MBP11Ki

Eaton 9SX 11000i Power Module

 $\wedge$ 

In the interests of continuous product improvement all specifications are subject to change without notice.

Privacy Policy Terms & Conditions Copyright

© 2017 Eaton All Rights Reserved